




MOTO



GREASING AND CLEANING

www.alvagargrupo.com



EMPRESA



ON VANGUARD FOR THE AUTOMOTION CHEMISTRY

The ALVAGAR has been dedicated for more than 30 years to the manufacture, packaging and sale of vanguard chemicals for the automotive sector nationally and internationally.

In recent years, we have incorporated this knowhow to the two-wheeled sector with the PODIUM brand, in order to offer the best solutions also in the world of cycling with AUTO-GAR® MOTO.

QUALITY POLICY AND CERTIFICATES

ALVAGAR GRUPO is accredited with the ISO 9001-2015 and ISO 14001-2015 regulations.

Our products comply with all quality control processes, with the sole purpose of providing confidence and solutions to all our customers.



EU MANUFACTURING

AUTO-GAR® products are manufactured in the European Union and comply with all the quality and safety certificates established by EU regulations.




TMF 2000® TREATMENT, PATENTED PRODUCT

HIGH PERFORMANCE TREATMENT FOR GREASING AND LUBRICATION IN ALL TYPES OF VEHICLES

TMF 2000® is our star product. It is a friction modifying treatment, active on the surface, its molecules are associated to metal surfaces through their polar terminations, improving the friction coefficient and the efficiency of the lubricant.

Its metallophilic polar head and oleophilic tail guarantee its effect in areas of extreme friction.



INTA CERTIFICATED



**Instituto
Nacional
de Técnica
Aeroespacial**

In addition, it is certified by the National Institute of Aerospace Technology (INTA) – Ministry of Defense of Spain. According to A.S.T.M. tests: D 2783-21 and D 2266-23.

OUR CLIENTS CHOOSE TMF 2000® FOR:

- Reduces friction between metal parts
- Reduces wear (more than 70%)
- Reduces internal temperature (up to 30%)
- Optimize energy consumption
- Reduces fuel consumption (between 4-7%)
- Extends the lifetime of the motor (tripling its useful life)


"A Top Brand"

Products **RECOMMENDED** by:

- **Jorge Martínez "Aspar"**

4 times Motorcycling World Champion
Aspar Team Director





**ADDITIVES TREATMENTS AND
PRODUCTS OF GREASING**

ADDITIVES TREATMENTS AND PRODUCTS OF GREASING

NAME

DESCRIPTION

FORMAT



PM 4000 G

Engine treatment
for dry clutch

- Friction modifying treatment for 4-stroke engines with dry clutch.
- It incorporates TMF 2000® in its formulation.
- Optimal dosage: 50 ml per liter of oil.



Ref.	Format
14015	16 x 250 ml



PM 4001 G

Engine treatment
for wet clutch

- Friction modifying treatment for 4-stroke engines with wet clutch.
- It incorporates TMF 2000® in its formulation.
- Optimal dosage: 50 ml per liter of oil.



Ref.	Format
14016	16 x 250 ml



PM 4002 G

Engine
treatment
2-Stroke

- Friction modifying treatment for 2-stroke engines with mix.
- It incorporates TMF 2000® in its formulation.
- Optimal dosage: 50 ml per liter of oil.



Ref.	Format
14017	16 x 250 ml



PM 4003 S

Chain
Lubricant

- Very high adhesion lubricant ideal as a dry lubricant on all types of chains.
- Maximum penetration, minimum wear, extreme resistance to spinning with very high speeds and working temperatures.
- Optimal for karts, moto racing with high displacement...
- Formulated with TMF 2000® (friction modifying treatment).



Ref.	Format
14011	12 x 400 ml

ADDITIVES TREATMENTS AND PRODUCTS OF GREASING

NAME

DESCRIPTION

FORMAT



PM 4004 S

Chain
Lubricant



- High adhesiveness and penetration power lubricant formulated with TMF 2000® Antifriction.
- Excelent performance for very wet enviroments.
- Reduces chain wear by more than 70%.
- Ideal as a wet lubrication for all types of high and low displacement motorcycle chains.
- Optimal for cross bikes, enduro, trial, etc...

Ref.	Format
14003	12 x 500 ml



PM 4005 G

Gasoline
injector cleaner



- Injector cleaner and combustion system with excellent properties
- It incorporates our TMF 2000® in its formulation.
- Ideal for PRE ITV treatment.
- Optimal dosage: 5 ml for every liter of gasoline.

Ref.	Format
14000	16 x 250 ml



PM 4006 G

Gasoline
octane booster



- Octane booster for gasoline, fuel optimization and improvement with and excellent lubricating power.
- It incorporates our TMF 2000® in its formulation.
- Avoid jerks and misfire.
- Greater smoothness of driving.
- Optimal dosage: 5 ml for each liter of gasoline to the full tank of fuel.

Ref.	Format
14001	16 x 250 ml



PM 4007 G

Internal
engine cleaner



- Additive with detergent base for internal engine cleaning.
- It removes sludge, varnishes and dirt accumulated on the internal engine parts.
- It's excellent power lubricant.
- It incorporates our TMF 2000® in its formulation.
- It keeps engine clean prolonging the life of the oil.
- Optimal dosage at 5% in the engine oil.

Ref.	Format
14012	16 x 250 ml

ADDITIVES TREATMENTS AND PRODUCTS OF GREASING

NAME

DESCRIPTION

FORMAT



PM 4008 G

Radiator
Cleaner

- Additive for internal cleaning of radiators, dissolves oil and fat residues mixed with the coolant quickly.
- It removes rust scale and limescale inside the circuit effectively.
- It improves coolant circulation and temperature transmission.

Ref.	Format
14013	12 x 400 ml



PM 4010 S

Multi-purpose
Lubricant

- High performance multi-application lubricant spray.
- Formulated with TMF 2000®
- Excellent antioxidant power and moisture displacing and optimal properties penetrating and unblocking.

Ref.	Format
14020	12 x 400 ml
14059	12 x 200 ml




PM 4012 G

Treatment for
suspensions

- High-tech treatment formulated with our TMF 2000® (friction modifier) for oils in suspension forks.
- It reduces friction + 70%.
- Optimal dosage at 5%.

Ref.	Format
14014	25 x 50 ml





**CLEANING AND
CONSERVATION**

CLEANING AND CONSERVATION

NAME

DESCRIPTION

FORMAT



PM 4100 G

Chain
degreaser

- Energetic degreaser for extreme dirt.
- It removes stubborn grease and oil residue of areas which are close to the chain quickly.
- It is optimal for degreasing and cleaning all kinds of chains with or without seals.
- Solvent base.

Ref.	Format
14008	12 x 750 ml
14009	4 x 5 L



PM 4101 S

Chain
degreaser

- Energetic degreaser spray for extreme dirt.
- It removes stubborn grease and oil residue of areas which are close to the chain quickly.
- It is optimal for degreasing and cleaning all kinds of chains with or without seals.
- Solvent base.

Ref.	Format
14002	12 x 500 ml



PM 4102 S

Helmet
cleaner

- Helmet cleaning and sanitizing foam (interior and exterior).
- It eliminates bad odors from inside the helmet caused by sweat, mosquitoes and dirt sticking to the helmet and motorcycle frontal areas: screen, headlights...

Ref.	Format
14004	12 x 400 ml



PM 4103 S

Special Polisher
For chromed

- Polisher and renovator of all types of surfaces chrome and painted in general.
- It polishes, removes marks and oxides and brightens exhaust pipes, engine parts and gearbox, forks, tires, handlebars, fuel tanks and all kinds of metal trims.

Ref.	Format
14006	12 x 400 ml

CLEANING AND CONSERVATION

NAME

DESCRIPTION

FORMAT



PM 4104 S Dry cleaner Brightener

- It is a fast drying concentrated cleaner and brightener.
- It repels dust and has a excellent hydro repellent effect.
- Free of silicones.
- Excellent polish for all kinds of fairings, fenders...

Ref.	Format
14007	12 x 400 ml



PM 4105 G Dry cleaner Brightener

- Super professional cleaner for all types of dirt: grease, dust, organic remains, etc with excellent detergent and brighteners properties.
- Neutral PH.
- 100% biodegradable.
- Cleaning without water.

Ref.	Format
14005	12 x 750 ml
14010	4 x 5 L



PM 4106 G Leather cleaner

- High performance professional cleaner for leather: seats, jumpsuits, suitcases...
- Its detergent power dissolves and removes dirt without damaging or drying the leather.
- It is an excellent organic residue cleaner in jumpsuits and leather jackets.
- After cleaning apply our nourishing cream for leather.
- 100% biodegradable.

Ref.	Format
14024	24 x 200 ml



PM 4107 G Leather moisturizing

- High quality moisturizing and nourishing cream
- for leather, it prevents aging and it returns its brightness and original texture to parts treated.
- Composed of natural waxes.
- 100% biodegradable.

Ref.	Format
14025	24 x 200 ml



CLEANING AND CONSERVATION

NOMBRE

DESCRIPCIÓN

FORMATO



PM 4108 S
Contact
cleaner

- Professional cleaning spray for electrical and electronic contacts.
- Quick drying and totally residue free.
- It does not damage plastics or rubbers.
- Optimal for caliper and brake disc cleaning.

Ref.	Format
14018	12 x 500 ml



PM 4109 G
Plastic
Renovator

- Instant plastics and rubber renovator which have been damaged by the sun.
- It gets excellent results in all types of scooter.
- It's protector and brightener on the sides of tires.
- Long protection and durability.

Ref.	Format
14026	24 x 200 ml



PM 4110 G
Multi-use
Degreaser



- Multi-use concentrated degreaser in Water base.
- Optimal cleaning and degreaser performance for all types motor parts, chains...
- Compatible with all kinds of materials.
- 100% biodegradable.

Ref.	Format
14022	12 x 750 ml
14023	4 x 5 L





**HIGH PERFORMANCE OILS
FOR 2 AND
4 - STROKE ENGINES**

100% SYNTHETIC OILS BASE PAO, FOR 4-STROKE ENGINES

NAME

DESCRIPTION

FORMAT



PM 4050 G



EVO-RR 10W60

100% Synthetic PAO
API: SM, JASO MA2

Ref. Format

14027	20 x 1 L
14028	1 x 20 L



PM 4051 G



EVO-RR 10W50

100% Synthetic PAO
API: SM, JASO MA2

Ref. Format

14029	20 x 1 L
14030	1 x 20 L



PM 4052 G



EVO-RR 10W40

100% Synthetic PAO
API: SM, JASO MA2

Ref. Format

14031	20 x 1 L
14032	1 x 20 L



PM 4053 G



EVO-RR 10W30

100% Synthetic PAO
API: SM, JASO MA2

Ref. Format

14033	20 x 1 L
14034	1 x 20 L

SYNTHETIC OILS FOR 4-STROKE ENGINES

NAME

DESCRIPTION

FORMAT



PM 4055 G



EVO-RS 15W50

Special Scooter
API: SM, JASO MA2.

Ref.	Format
14035	20 x 1 L
14036	1 x 20 L



PM 4056 G



EVO-RS 10W40

API: SM, JASO MA2.

Ref.	Format
14037	20 x 1 L
14038	1 x 20 L



PM 4057 G



EVO-RS 10W40

SC (SCOOTER)
API: SM, JASO MA2.

Ref.	Format
14039	20 x 1 L
14040	1 x 20 L

MINERAL OILS FOR 4-STROKE ENGINES

NAME

DESCRIPTION

FORMAT



PM 4061 G



EVO-RM 20W50

API: SM, JASO MA2.

Ref.	Format
14041	20 x 1 L
14042	1 x 20 L

100% SYNTHETIC OILS BASE PAO, FOR 2-STROKE ENGINES

NAME

DESCRIPTION

FORMAT



PM 4064 G



EVO-RR 2T

100% Synthetic PAO
JASO M345 FD-ISO/L/EGD;
API:TC+-TISI APRILIA DFI.

Ref. Format

14043 20 x 1 L
14044 1 x 20 L

SEMI-SYNTHETIC OILS FOR 2-STROKE ENGINES

NAME

DESCRIPTION

FORMAT



PM 4067 G



EVO-RS 2T SEMI

100% Synthetic PAO
JASO M345 FD-ISO/L/EGD;
AP-TC+TISI.

Ref. Format

14045 20 x 1 L
14046 1 x 20 L

SEMISYNTHETIC OILS FOR TRANSMISSION AND GEARBOXES

NAME

DESCRIPTION

FORMAT



PM 4069 G



EVO-GEAR 75W90

API: GL-5.

Ref. Format

14047 20 x 1 L
14048 1 x 20 L



PM 4071 G



EVO-GEAR 10W30

API: SM, JASO MA2 (T903:2006).

Ref. Format

14049 20 x 1 L
14050 1 x 20 L

100% SYNTHETIC SPECIAL OILS FOR SUSPENSION FORKS BASE PAO

NAME

DESCRIPTION

FORMAT



PM 4074 G



EVO-HS FORK PLUS

SAE: 2,5W-5W-7,5W-1 0W-15W;
DIN 51524 PART 2.

Ref. Format

14051 20 x 1 L
14052 1 x 20 L



ALVAGAR
GRUPO

GRUPO ALVAGAR

Avda. Castilla La Mancha, Nave 1
12200 Onda - Castellón (España)
alvagar@alvagargrupo.com
Tel. 964 772 069

AUTHORIZED OFFICIAL DISTRIBUTOR:

FOLLOWING IN:

